

(死亡の状況)

【年齢調整死亡率（脳血管疾患、心疾患）】

<脳血管疾患（北海道）>

| | | 脳血管疾患 | | | | | | | |
|-----|------|-------|-------|-------|------|------|------|--------|------|
| | | 脳血管疾患 | | 脳梗塞 | | 脳内出血 | | くも膜下出血 | |
| | | 男性 | 女性 | 男性 | 女性 | 男性 | 女性 | 男性 | 女性 |
| S35 | 1960 | 306.3 | 221.0 | - | - | - | - | - | - |
| S40 | 1965 | 343.8 | 248.1 | - | - | - | - | - | - |
| S45 | 1970 | 325.1 | 222.1 | 115.6 | 78.0 | - | - | 8.4 | 8.4 |
| S50 | 1975 | 244.5 | 175.0 | 97.2 | 72.2 | - | - | 9.1 | 8.2 |
| S55 | 1980 | 180.0 | 137.2 | 80.4 | 60.7 | 53.9 | 38.5 | 8.1 | 9.0 |
| S60 | 1985 | 118.9 | 93.5 | 60.0 | 44.6 | 31.7 | 21.5 | 8.1 | 11.1 |
| H2 | 1990 | 82.7 | 60.4 | 46.0 | 31.7 | 20.5 | 12.4 | 7.5 | 8.5 |
| H7 | 1995 | 88.4 | 58.4 | 52.7 | 32.4 | 22.6 | 12.1 | 8.8 | 9.8 |
| H12 | 2000 | 72.1 | 43.7 | 42.0 | 22.9 | 19.2 | 10.2 | 9.1 | 9.1 |
| H17 | 2005 | 62.7 | 34.6 | 32.8 | 16.2 | 19.3 | 9.9 | 9.0 | 7.8 |
| H22 | 2010 | 47.1 | 25.2 | 24.0 | 11.5 | 15.7 | 7.4 | 6.4 | 5.8 |
| H27 | 2015 | 34.7 | 21.0 | 16.8 | 8.8 | 12.8 | 6.4 | 4.5 | 5.4 |

*厚生労働省 人口動態統計特殊報告(平成27年)

<心疾患（高血圧性除く）（北海道）>

| | | 心疾患 | | | | | | | | | |
|-----|------|-------|-------|------|------|-----------|-----|--------|------|--------|------|
| | | 心疾患 | | 心不全 | | 不整脈及び伝導障害 | | 虚血性心疾患 | | 急性心筋梗塞 | |
| | | 男性 | 女性 | 男性 | 女性 | 男性 | 女性 | 男性 | 女性 | 男性 | 女性 |
| S35 | 1960 | 158.9 | 120.3 | 25.8 | 21.0 | - | - | 48.3 | 28.0 | - | - |
| S40 | 1965 | 179.2 | 129.2 | 28.3 | 22.5 | - | - | 69.1 | 42.3 | - | - |
| S45 | 1970 | 180.6 | 135.6 | 53.2 | 43.1 | 2.5 | 2.9 | 87.3 | 55.8 | 48.4 | 28.8 |
| S50 | 1975 | 170.5 | 128.6 | 62.9 | 51.6 | 4.4 | 2.7 | 80.9 | 54.0 | 43.0 | 25.5 |
| S55 | 1980 | 175.9 | 122.6 | 79.6 | 61.4 | 7.8 | 4.7 | 75.2 | 46.2 | 46.1 | 23.4 |
| S60 | 1985 | 162.5 | 110.7 | 82.0 | 57.4 | 5.9 | 4.2 | 63.4 | 40.5 | 39.8 | 22.5 |
| H2 | 1990 | 149.3 | 97.3 | 85.2 | 55.0 | 6.4 | 3.8 | 48.5 | 32.0 | 32.0 | 19.2 |
| H7 | 1995 | 104.7 | 61.6 | 33.1 | 19.8 | 8.7 | 5.5 | 53.2 | 29.7 | 40.5 | 21.9 |
| H12 | 2000 | 87.3 | 50.1 | 31.1 | 18.4 | 9.6 | 4.7 | 38.1 | 21.4 | 29.5 | 16.1 |
| H17 | 2005 | 84.8 | 45.2 | 27.4 | 18.1 | 12.1 | 6.1 | 37.5 | 16.6 | 28.4 | 12.3 |
| H22 | 2010 | 76.8 | 41.2 | 26.6 | 17.7 | 13.2 | 6.6 | 30.5 | 12.8 | 21.5 | 9.2 |
| H27 | 2015 | 64.4 | 34.5 | 20.6 | 15.0 | 12.4 | 6.0 | 25.2 | 9.5 | 14.5 | 5.5 |

*厚生労働省 人口動態統計特殊報告(平成27年)

【死亡数、死亡率（脳血管疾患、心疾患）】

<脳血管疾患>

※死亡率：人口10万人当たり死亡数

| | | 北海道 | | 全国 | |
|-----|------|-------|-------|---------|-------|
| | | 死亡数 | 死亡率 | 死亡数 | 死亡率 |
| M34 | 1902 | 915 | 90.4 | 74,935 | 166.7 |
| M39 | 1907 | 1,006 | 78.0 | 78,580 | 165.7 |
| T1 | 1912 | 1,132 | 67.9 | 67,489 | 133.4 |
| T5 | 1916 | 1,201 | 60.5 | 73,912 | 138.2 |
| T9 | 1920 | 1,680 | 71.2 | 88,186 | 157.6 |
| S1 | 1926 | 2,307 | 94.7 | 98,688 | 162.5 |
| S5 | 1930 | 2,806 | 99.8 | 104,942 | 162.8 |
| S10 | 1935 | 3,296 | 107.4 | 114,554 | 165.4 |
| S15 | 1940 | 3,219 | 98.4 | 127,847 | 177.7 |
| S20 | 1945 | 3,366 | 95.7 | — | — |
| S25 | 1950 | 3,278 | 76.3 | 105,728 | 127.1 |
| S30 | 1955 | 5,034 | 105.5 | 121,504 | 136.1 |
| S31 | 1956 | 5,290 | 109.3 | 133,931 | 148.4 |
| S32 | 1957 | 5,522 | 112.9 | 138,181 | 151.7 |
| S33 | 1958 | 5,415 | 108.6 | 136,767 | 148.6 |
| S34 | 1959 | 5,520 | 109.4 | 142,858 | 153.7 |
| S35 | 1960 | 5,643 | 112.0 | 150,109 | 160.7 |
| S36 | 1961 | 6,103 | 120.3 | 155,966 | 165.4 |
| S37 | 1962 | 6,454 | 126.5 | 161,228 | 169.4 |
| S38 | 1963 | 6,544 | 127.7 | 164,818 | 171.4 |
| S39 | 1964 | 6,903 | 134.0 | 166,901 | 171.7 |
| S40 | 1965 | 7,167 | 138.6 | 172,773 | 175.8 |
| S41 | 1966 | 7,326 | 141.1 | 172,186 | 173.8 |
| S42 | 1967 | 7,353 | 140.9 | 172,464 | 173.1 |
| S43 | 1968 | 7,545 | 144.3 | 174,905 | 173.5 |
| S44 | 1969 | 7,760 | 148.1 | 177,894 | 174.4 |
| S45 | 1970 | 7,574 | 146.3 | 181,315 | 175.8 |
| S46 | 1971 | 7,458 | 144.1 | 176,952 | 169.6 |
| S47 | 1972 | 7,467 | 143.7 | 176,228 | 166.7 |
| S48 | 1973 | 7,572 | 144.9 | 180,332 | 166.9 |
| S49 | 1974 | 7,243 | 137.4 | 178,365 | 163.0 |
| S50 | 1975 | 6,932 | 130.0 | 174,367 | 156.7 |
| S51 | 1976 | 6,663 | 123.7 | 173,745 | 165.5 |
| S52 | 1977 | 6,756 | 124.3 | 170,029 | 149.8 |
| S53 | 1978 | 6,606 | 120.5 | 167,452 | 146.2 |
| S54 | 1979 | 6,488 | 117.5 | 158,974 | 137.7 |
| S55 | 1980 | 6,517 | 117.0 | 162,317 | 139.5 |
| S56 | 1981 | 6,330 | 113.0 | 157,351 | 134.3 |
| S57 | 1982 | 6,070 | 107.9 | 147,537 | 125.0 |

| | | 北海道 | | 全国 | |
|-----|------|-------|-------|---------|-------|
| | | 死亡数 | 死亡率 | 死亡数 | 死亡率 |
| S58 | 1983 | 5,920 | 104.8 | 145,880 | 122.8 |
| S59 | 1984 | 5,375 | 94.8 | 140,093 | 117.2 |
| S60 | 1985 | 5,462 | 96.3 | 134,994 | 112.2 |
| S61 | 1986 | 5,080 | 89.6 | 129,289 | 106.9 |
| S62 | 1987 | 4,929 | 87.1 | 123,626 | 101.7 |
| S63 | 1988 | 4,904 | 86.6 | 128,695 | 105.5 |
| H1 | 1989 | 4,745 | 83.8 | 120,652 | 98.5 |
| H2 | 1990 | 4,584 | 81.3 | 121,944 | 99.4 |
| H3 | 1991 | 4,688 | 83.1 | 118,448 | 96.2 |
| H4 | 1992 | 4,621 | 81.8 | 118,058 | 95.6 |
| H5 | 1993 | 4,704 | 83.2 | 118,794 | 96.0 |
| H6 | 1994 | 4,652 | 82.1 | 120,239 | 96.9 |
| H7 | 1995 | 5,885 | 103.6 | 146,552 | 117.9 |
| H8 | 1996 | 5,836 | 102.6 | 140,366 | 112.6 |
| H9 | 1997 | 5,646 | 99.2 | 138,697 | 111.0 |
| H10 | 1998 | 5,545 | 97.5 | 137,819 | 110.0 |
| H11 | 1999 | 5,813 | 102.3 | 138,989 | 110.8 |
| H12 | 2000 | 5,723 | 100.9 | 132,529 | 105.5 |
| H13 | 2001 | 5,478 | 96.7 | 131,856 | 104.7 |
| H14 | 2002 | 5,618 | 99.3 | 130,257 | 103.4 |
| H15 | 2003 | 5,825 | 103.2 | 132,067 | 104.7 |
| H16 | 2004 | 5,668 | 100.7 | 129,055 | 102.3 |
| H17 | 2005 | 5,921 | 105.5 | 132,847 | 105.3 |
| H18 | 2006 | 5,668 | 101.5 | 128,268 | 101.7 |
| H19 | 2007 | 5,534 | 99.7 | 127,041 | 100.8 |
| H20 | 2008 | 5,540 | 100.4 | 127,023 | 100.9 |
| H21 | 2009 | 5,326 | 97.7 | 122,350 | 97.2 |
| H22 | 2010 | 5,284 | 96.3 | 123,461 | 97.7 |
| H23 | 2011 | 5,291 | 96.8 | 123,867 | 98.2 |
| H24 | 2012 | 5,082 | 93.4 | 121,602 | 96.5 |
| H25 | 2013 | 4,977 | 92.0 | 118,347 | 94.1 |
| H26 | 2014 | 4,909 | 91.2 | 114,209 | 91.1 |
| H27 | 2015 | 4,875 | 91.0 | 111,974 | 89.4 |
| H28 | 2016 | 4,934 | 92.6 | 109,353 | 87.5 |
| H29 | 2017 | 4,814 | 91.0 | 109,896 | 88.2 |
| H30 | 2018 | 4,786 | 91.1 | 108,186 | 87.1 |
| R1 | 2019 | 4,802 | 92.2 | 106,552 | 86.1 |
| R2 | 2020 | 4,667 | — | 102,978 | — |

*厚生労働省 人口動態調査

「—」はデータ未公表

<心疾患（高血圧性を除く）>

※死亡率：人口10万人当たり死亡数

| | | 北海道 | | 全国 | |
|-----|------|-------|-------|---------|-------|
| | | 死亡数 | 死亡率 | 死亡数 | 死亡率 |
| M34 | 1902 | — | — | 23,837 | 53.0 |
| M39 | 1907 | 519 | 40.3 | 28,645 | 60.4 |
| T1 | 1912 | 771 | 46.2 | 31,223 | 61.7 |
| T5 | 1916 | 937 | 47.2 | 37,022 | 69.2 |
| T9 | 1920 | 985 | 41.8 | 35,540 | 63.5 |
| S1 | 1926 | 1,156 | 47.4 | 37,949 | 62.5 |
| S5 | 1930 | 1,243 | 44.2 | 41,138 | 63.8 |
| S10 | 1935 | 1,405 | 45.8 | 39,902 | 57.6 |
| S15 | 1940 | 1,738 | 53.1 | 45,542 | 63.3 |
| S20 | 1945 | 2,455 | 69.8 | — | — |
| S25 | 1950 | 2,313 | 53.8 | 53,377 | 64.2 |
| S30 | 1955 | 2,517 | 52.7 | 54,351 | 60.9 |
| S31 | 1956 | 2,584 | 53.4 | 59,543 | 66.0 |
| S32 | 1957 | 3,083 | 62.9 | 66,571 | 73.1 |
| S33 | 1958 | 2,757 | 55.3 | 59,603 | 64.8 |
| S34 | 1959 | 2,998 | 59.4 | 62,954 | 67.7 |
| S35 | 1960 | 3,020 | 59.9 | 68,400 | 73.2 |
| S36 | 1961 | 3,194 | 63.0 | 68,017 | 72.1 |
| S37 | 1962 | 3,455 | 67.7 | 72,493 | 76.2 |
| S38 | 1963 | 3,177 | 62.0 | 67,672 | 70.4 |
| S39 | 1964 | 3,433 | 66.6 | 68,328 | 70.3 |
| S40 | 1965 | 3,671 | 71.0 | 75,672 | 77.0 |
| S41 | 1966 | 3,611 | 69.5 | 71,188 | 71.9 |
| S42 | 1967 | 3,758 | 72.1 | 75,424 | 75.7 |
| S43 | 1968 | 3,771 | 72.1 | 80,866 | 80.2 |
| S44 | 1969 | 4,135 | 78.9 | 83,357 | 81.7 |
| S45 | 1970 | 4,270 | 82.5 | 89,411 | 86.7 |
| S46 | 1971 | 4,113 | 74.9 | 85,529 | 82.0 |
| S47 | 1972 | 4,193 | 80.7 | 85,885 | 81.2 |
| S48 | 1973 | 4,705 | 90.0 | 94,324 | 87.3 |
| S49 | 1974 | 4,673 | 88.7 | 98,251 | 89.8 |
| S50 | 1975 | 4,779 | 89.7 | 99,226 | 89.2 |
| S51 | 1976 | 4,787 | 88.9 | 103,638 | 92.2 |
| S52 | 1977 | 4,886 | 89.9 | 103,564 | 91.2 |
| S53 | 1978 | 5,024 | 91.7 | 106,786 | 93.3 |
| S54 | 1979 | 5,312 | 96.2 | 111,938 | 96.9 |
| S55 | 1980 | 6,006 | 107.9 | 123,505 | 106.2 |
| S56 | 1981 | 6,130 | 109.5 | 126,012 | 107.5 |
| S57 | 1982 | 6,168 | 109.7 | 125,905 | 106.7 |

| | | 北海道 | | 全国 | |
|-----|------|-------|-------|---------|-------|
| | | 死亡数 | 死亡率 | 死亡数 | 死亡率 |
| S58 | 1983 | 6,446 | 114.1 | 132,244 | 111.3 |
| S59 | 1984 | 6,406 | 113.0 | 136,162 | 113.9 |
| S60 | 1985 | 6,939 | 122.3 | 141,097 | 117.3 |
| S61 | 1986 | 6,851 | 120.8 | 142,581 | 117.9 |
| S62 | 1987 | 6,904 | 121.9 | 143,909 | 118.4 |
| S63 | 1988 | 7,615 | 134.5 | 157,920 | 129.4 |
| H1 | 1989 | 7,498 | 132.5 | 156,831 | 128.1 |
| H2 | 1990 | 7,846 | 139.2 | 165,478 | 134.8 |
| H3 | 1991 | 7,597 | 134.7 | 168,878 | 137.2 |
| H4 | 1992 | 8,172 | 144.7 | 175,546 | 142.2 |
| H5 | 1993 | 8,321 | 147.1 | 180,297 | 145.6 |
| H6 | 1994 | 7,348 | 129.7 | 159,579 | 128.6 |
| H7 | 1995 | 6,570 | 115.6 | 139,206 | 112.0 |
| H8 | 1996 | 6,667 | 117.2 | 138,229 | 110.8 |
| H9 | 1997 | 6,696 | 117.7 | 140,174 | 112.2 |
| H10 | 1998 | 6,869 | 120.7 | 143,120 | 114.3 |
| H11 | 1999 | 7,186 | 126.4 | 151,079 | 120.4 |
| H12 | 2000 | 6,768 | 119.4 | 146,741 | 116.8 |
| H13 | 2001 | 7,011 | 123.7 | 148,292 | 117.8 |
| H14 | 2002 | 6,965 | 123.1 | 152,518 | 121.0 |
| H15 | 2003 | 7,451 | 132.0 | 159,545 | 126.5 |
| H16 | 2004 | 7,547 | 134.0 | 159,625 | 126.5 |
| H17 | 2005 | 7,935 | 141.4 | 173,125 | 137.2 |
| H18 | 2006 | 8,216 | 147.1 | 173,025 | 137.2 |
| H19 | 2007 | 8,454 | 152.2 | 175,539 | 139.2 |
| H20 | 2008 | 8,728 | 158.2 | 181,928 | 144.4 |
| H21 | 2009 | 8,728 | 159.0 | 180,745 | 143.7 |
| H22 | 2010 | 8,925 | 162.6 | 189,361 | 149.8 |
| H23 | 2011 | 9,398 | 171.9 | 194,926 | 154.5 |
| H24 | 2012 | 9,464 | 173.9 | 198,836 | 157.9 |
| H25 | 2013 | 9,496 | 175.5 | 196,723 | 156.5 |
| H26 | 2014 | 9,429 | 175.2 | 196,931 | 157.0 |
| H27 | 2015 | 9,156 | 170.8 | 196,127 | 156.5 |
| H28 | 2016 | 9,265 | 173.9 | 198,070 | 158.4 |
| H29 | 2017 | 9,450 | 178.6 | 204,868 | 164.4 |
| H30 | 2018 | 9,680 | 184.3 | 208,221 | 167.6 |
| R1 | 2019 | 9,578 | 183.8 | 207,714 | 167.9 |
| R2 | 2020 | 9,373 | — | 205,596 | — |

*厚生労働省 人口動態調査

「—」はデータ未公表